## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|-------|------|---|---|---------------------|---------|---------------------|
| L1    | 11   | (@ad<="20020626") and<br>"455" clas. and ((transponder<br>or tag) with (ffid or radio adj<br>frequency adj identification))<br>and (url or uri)                 | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/26<br>13:37 |
| L2    | 1    | (@ad<="20020626") and<br>"455".clas. and ((transponder<br>or tag) with (rfid or radio adj<br>frequency adj identification))<br>and (java adj midlet)            | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/26<br>14:24 |
| L3    | 0    | (@ad<="20020626") and<br>"455".clas. and ((transponder<br>or tag) with (rfid or radio adj<br>frequency adj identification))<br>and (medicin\$2)                 | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/26<br>14:36 |
| S1    | 35   | (@ad<="19970912") and<br>((call or service or<br>communication\$1 or contact)<br>adj center with (ip or internet<br>adj protocol or packet near4<br>switch\$3)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/13<br>14:42 |
| S2    | 60   | (@ad<="19970912") and<br>((call or service or<br>communication\$1 or contact)<br>adj center same (ip or<br>internet adj protocol or<br>packet near4 switch\$3)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/13<br>14:43 |
| 83    | 309  | i(@ad<="19970912") and<br>((call or service or<br>communication\$1 or contact)<br>adj center and (ip or internet<br>adj protocol or packet near4<br>switch\$3)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/13<br>14:43 |
| S4    | 66   | (@ad<="19970912") and<br>(rout\$3 with (status or<br>activity or skill)) and \$3  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/13<br>15:00 |
| S5    | 10   | (@ad<="19970912") and<br>(rout\$3 with (status or<br>activity or skill)) and S1   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2008/06/13<br>15:00 |

| S6  | 0  | (@ad<="20020626") and<br>"455" clas. and ((transponder<br>or tag) with (frid or radio adj<br>frequency adj identification)<br>with (text near3 messag\$3))                       | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | William Willia | 2008/06/26<br>09:22 |
|-----|----|--|---|----|--|---------------------|
| S7  | 0  | (@ad<= "20020626") and<br>"455" clas and ((transponder<br>or tag) with (rfid or radio adj<br>frequency adj identification)<br>with text)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF  | 2008/06/26<br>09:22 |
| S8  | 1  | (@ad<="20020626") and<br>"455".clas. and ((transponder<br>or tag) with (rtid or radio adj<br>frequency adj identification))<br>and (application adj identif<br>\$7)              | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF  | 2008/06/26<br>09:30 |
| S9  | 15 | (@ad<="20020626") and<br>"455".clas. and ((transponder<br>or tag) with (separate or<br>own) near5 power near5<br>source)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF  | 2008/06/26<br>09:32 |
| S10 | 9  | (@ad<="20020626") and<br>"455".clas. and ((transponder<br>or tag) with (separate or<br>own) adj power adj source)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF  | 2008/06/26<br>09:33 |
| S11 | 6  | (@ad<= "20020626") and<br>"455".clas. and ((transponder<br>or tag) with RFID with<br>backscatter\$3)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF  | 2008/06/26<br>09:40 |
| S12 | 10 | (@ad<="20020626") and<br>"455".clas. and ((transponder<br>or tag) with (riid or radio adj<br>frequency adj identification))<br>and (SMS or short adj messag<br>\$3 adj service)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF  | 2008/06/26<br>09:46 |
| S13 | 1  | (@ad<="20020626") and<br>"455" clas. and ((transponder<br>or tag) with (riid or radio adj<br>frequency adj identification)<br>with (SMS or short adj messag<br>\$3 adj service)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF  | 2008/06/26<br>09:47 |

| S14 | 3 | (@ad<="20020626") and<br>"455".clas. and ((transponder<br>or tag) with (rid or radio adj<br>frequency adj identification))<br>and (MMS or multimedia adj<br>messag\$3 adj service)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/06/26<br>11:18 |
|-----|---|--|---|----|-----|---------------------|
| S15 | 0 | (@ad<= "20020626") and<br>"455".clas. and ((transponder<br>or tag) with (ffid or radio adj<br>frequency adj identification))<br>and (PTT or push-to-talk or<br>push adj to adj talk) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/06/26<br>11:21 |
| S17 | 2 | (@ad<= "20020626") and<br>"455".clas. and ((transponder<br>or tag) with (rfid or radio adj<br>frequency adj identification))<br>and ((url or uri) with<br>browser)                   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/06/26<br>11:23 |

<sup>6/26/2008 2:49:45</sup> PM

C:\ Documents and Settings\ csmith1\ My Documents\ EAST\ Workspaces\ 10566778.wsp